

逆 座 標 計 算 [単 独]

登録No	点 名	X座標 m	Y座標 m	平面距離 m	方 向 角 °
2	(B-R1)	-61 575.428	-71 692.444		
3	(B-R2)	-61 605.974	-71 651.806	50.838	126 55 51
6	(B-R4)	-61 630.334	-71 711.208		
5	(B-R5)	-61 605.907	-71 727.260	29.229	326 41 22
9	(B-R6)	-61 689.657	-71 670.547		
8	(B-R7)	-61 724.240	-71 645.047	42.968	143 35 48
12	(B-R10)	-61 662.279	-71 609.764		
13	(B-R11)	-61 650.503	-71 645.054	37.203	288 27 12
16	(B-R14)	-61 646.110	-71 508.832		
17	(B-R15)	-61 629.397	-71 544.392	39.292	295 10 24
20	(A-R1)	-61 561.625	-71 458.642		
21	(B-R19)	-61 551.599	-71 496.666	39.324	284 46 17
21	(B-R19)	-61 551.599	-71 496.666		
23	(B-R20)	-61 589.162	-71 444.491	64.290	125 45 6
10	(B-R8)	-61 733.614	-71 611.762		
20	(A-R1)	-61 561.625	-71 458.642	230.274	41 40 42
14	(B-R12)	-61 625.480	-71 623.617		
16	(B-R14)	-61 646.110	-71 508.832	116.624	100 11 20

逆 座 標 計 算 [放 射]

登録No	点 名	X座標 m	Y座標 m	平面距離 m	方 向 角 °
*	2 (B-R1)	-61 575.428	-71 692.444		
	12 (B-R10)	-61 662.279	-71 609.764	119.913	136 24 34
	13 (B-R11)	-61 650.503	-71 645.054	88.781	147 44 18
	14 (B-R12)	-61 625.480	-71 623.617	85.102	126 1 31
	15 (B-R13)	-61 663.643	-71 545.610	171.295	120 59 48
	16 (B-R14)	-61 646.110	-71 508.832	196.747	111 3 16
	17 (B-R15)	-61 629.397	-71 544.392	157.582	110 1 41
	18 (B-R16)	-61 604.445	-71 567.088	128.671	103 1 59
	19 (B-R17)	-61 590.854	-71 594.266	99.382	98 55 46
*	3 (B-R2)	-61 605.974	-71 651.806		
	12 (B-R10)	-61 662.279	-71 609.764	70.269	143 15 7
	13 (B-R11)	-61 650.503	-71 645.054	45.038	171 22 40
	14 (B-R12)	-61 625.480	-71 623.617	34.280	124 40 56
	15 (B-R13)	-61 663.643	-71 545.610	120.844	118 30 14
	16 (B-R14)	-61 646.110	-71 508.832	148.501	105 40 50
*	4 (B-R3)	-61 637.119	-71 673.186		
	12 (B-R10)	-61 662.279	-71 609.764	68.230	111 38 19
	13 (B-R11)	-61 650.503	-71 645.054	31.154	115 26 35
	14 (B-R12)	-61 625.480	-71 623.617	50.917	76 47 10
	15 (B-R13)	-61 663.643	-71 545.610	130.304	101 44 42
	16 (B-R14)	-61 646.110	-71 508.832	164.600	93 7 52
	17 (B-R15)	-61 629.397	-71 544.392	129.025	86 34 8
	18 (B-R16)	-61 604.445	-71 567.088	111.015	72 53 0
	19 (B-R17)	-61 590.854	-71 594.266	91.481	59 37 12
	20 (A-R1)	-61 561.625	-71 458.642	227.439	70 36 50
	21 (B-R19)	-61 551.599	-71 496.666	196.145	64 9 3
	22 (B-R18)	-61 592.932	-71 539.394	140.900	71 43 24
	23 (B-R20)	-61 589.162	-71 444.491	233.669	78 9 24
	24 (B-R21)	-61 612.774	-71 480.838	193.883	82 47 12

逆 座 標 計 算 [連 続]

登録No	点 名	X座標 m	Y座標 m	平面距離 m	方 向 角 °
1	(A-R2)	-61 566.994	-71 721.967	30.704	105 56 36
2	(B-R1)	-61 575.428	-71 692.444	50.838	126 55 51
3	(B-R2)	-61 605.974	-71 651.806	37.777	214 28 6
4	(B-R3)	-61 637.119	-71 673.186	62.435	299 59 38
5	(B-R5)	-61 605.907	-71 727.260	29.229	146 41 22
6	(B-R4)	-61 630.334	-71 711.208	113.728	164 1 11
7	(A-R3)	-61 739.667	-71 679.898	38.113	66 7 23
8	(B-R7)	-61 724.240	-71 645.047	42.968	323 35 48
9	(B-R6)	-61 689.657	-71 670.547	73.402	126 47 15
10	(B-R8)	-61 733.614	-71 611.762	50.246	30 52 24
11	(B-R9)	-61 690.488	-71 585.979	36.898	319 51 48
12	(B-R10)	-61 662.279	-71 609.764	37.203	288 27 12
13	(B-R11)	-61 650.503	-71 645.054	32.950	40 35 11
14	(B-R12)	-61 625.480	-71 623.617	86.842	116 4 9
15	(B-R13)	-61 663.643	-71 545.610	40.743	64 30 42
16	(B-R14)	-61 646.110	-71 508.832	39.292	295 10 24
17	(B-R15)	-61 629.397	-71 544.392	33.730	317 42 39
18	(B-R16)	-61 604.445	-71 567.088	30.387	296 34 6
19	(B-R17)	-61 590.854	-71 594.266	138.738	77 50 17
20	(A-R1)	-61 561.625	-71 458.642		