

直線の等分割座標計算

				計算ピッチ =		m	分割数 = 35
				方向角	距離		
				°	m		
登録No	点名	X座標	Y座標				
		m	m				
始点	3 (B-R2)	-61 605.974	-71 651.806	171 22 40	0.000		
1	4990 (K-30)	-61 607.246	-71 651.613		1.287		
2	4991 (K-31)	-61 608.519	-71 651.420		2.574		
3	4992 (K-32)	-61 609.791	-71 651.227		3.860		
4	4993 (K-33)	-61 611.063	-71 651.034		5.147		
5	4994 (K-34)	-61 612.335	-71 650.841		6.434		
6	4995 (K-35)	-61 613.608	-71 650.649		7.721		
7	4996 (K-36)	-61 614.880	-71 650.456		9.008		
8	4997 (K-37)	-61 616.152	-71 650.263		10.294		
9	4998 (K-38)	-61 617.424	-71 650.070		11.581		
10	4999 (K-39)	-61 618.697	-71 649.877		12.868		
11	5000 (K-40)	-61 619.969	-71 649.684		14.155		
12	5001 (K-41)	-61 621.241	-71 649.491		15.442		
13	5002 (K-42)	-61 622.513	-71 649.298		16.728		
14	5003 (K-43)	-61 623.786	-71 649.105		18.015		
15	5004 (K-44)	-61 625.058	-71 648.912		19.302		
16	5005 (K-45)	-61 626.330	-71 648.719		20.589		
17	5006 (K-46)	-61 627.602	-71 648.526		21.876		
18	5007 (K-47)	-61 628.875	-71 648.334		23.162		
19	5008 (K-48)	-61 630.147	-71 648.141		24.449		
20	5009 (K-49)	-61 631.419	-71 647.948		25.736		
21	5010 (K-50)	-61 632.691	-71 647.755		27.023		
22	5011 (K-51)	-61 633.964	-71 647.562		28.310		
23	5012 (K-52)	-61 635.236	-71 647.369		29.596		
24	5013 (K-53)	-61 636.508	-71 647.176		30.883		
25	5014 (K-54)	-61 637.780	-71 646.983		32.170		
26	5015 (K-55)	-61 639.053	-71 646.790		33.457		
27	5016 (K-56)	-61 640.325	-71 646.597		34.744		
28	5017 (K-57)	-61 641.597	-71 646.404		36.030		
29	5018 (K-58)	-61 642.869	-71 646.211		37.317		
30	5019 (K-59)	-61 644.142	-71 646.019		38.604		
31	5020 (K-60)	-61 645.414	-71 645.826		39.891		
32	5021 (K-61)	-61 646.686	-71 645.633		41.178		
33	5022 (K-62)	-61 647.958	-71 645.440		42.464		
34	5023 (K-63)	-61 649.231	-71 645.247		43.751		
終点	13 (B-R11)	-61 650.503	-71 645.054		45.038		