

直線のピッチ指定座標計算

				計算ピッチ =		m
				方向角	距離	5.000
				°	m	
登録No	点名	X座標	Y座標			
		m	m			
始点	1 (A-R2)	-61 566.994	-71 721.967	130 20 19	0.000	
1	4961 (K-1)	-61 570.231	-71 718.156		5.000	
2	4962 (K-2)	-61 573.467	-71 714.345		10.000	
3	4963 (K-3)	-61 576.704	-71 710.534		15.000	
4	4964 (K-4)	-61 579.940	-71 706.722		20.000	
5	4965 (K-5)	-61 583.177	-71 702.911		25.000	
6	4966 (K-6)	-61 586.413	-71 699.100		30.000	
7	4967 (K-7)	-61 589.650	-71 695.289		35.000	
8	4968 (K-8)	-61 592.886	-71 691.478		40.000	
9	4969 (K-9)	-61 596.123	-71 687.667		45.000	
10	4970 (K-10)	-61 599.359	-71 683.855		50.000	
11	4971 (K-11)	-61 602.596	-71 680.044		55.000	
12	4972 (K-12)	-61 605.832	-71 676.233		60.000	
13	4973 (K-13)	-61 609.069	-71 672.422		65.000	
14	4974 (K-14)	-61 612.305	-71 668.611		70.000	
15	4975 (K-15)	-61 615.542	-71 664.800		75.000	
16	4976 (K-16)	-61 618.778	-71 660.988		80.000	
17	4977 (K-17)	-61 622.015	-71 657.177		85.000	
18	4978 (K-18)	-61 625.251	-71 653.366		90.000	
19	4979 (K-19)	-61 628.488	-71 649.555		95.000	
20	4980 (K-20)	-61 631.724	-71 645.744		100.000	
21	4981 (K-21)	-61 634.961	-71 641.933		105.000	
22	4982 (K-22)	-61 638.197	-71 638.121		110.000	
23	4983 (K-23)	-61 641.434	-71 634.310		115.000	
24	4984 (K-24)	-61 644.670	-71 630.499		120.000	
25	4985 (K-25)	-61 647.907	-71 626.688		125.000	
26	4986 (K-26)	-61 651.143	-71 622.877		130.000	
27	4987 (K-27)	-61 654.380	-71 619.066		135.000	
28	4988 (K-28)	-61 657.616	-71 615.254		140.000	
29	4989 (K-29)	-61 660.853	-71 611.443		145.000	
終点	12 (B-R10)	-61 662.279	-71 609.764		147.203	