

間 接 縦 断 測 量 計 算 簿

路線名 : TestRosen [BM.1] [BM.2] [往 路]

測 点	点間距離 m	追加距離 m	高低差 m	補正量 mm	決定標高 m	備 考
BM.1					1504.689	
NO.0	18.952	0.000	1.314		1506.003	
NO.1	20.004	20.000	0.301		1506.304	
NO.2	20.001	40.000	0.257		1506.561	
NO.2+5	5.002	45.000	0.177		1506.738	
NO.3	15.001	60.000	0.454		1507.192	
NO.3		60.000			1507.172	KH= 0.02
BC1	8.876	68.878	0.265		1507.457	
BC1		68.878			1507.437	KH= 0.02
+	0.500	69.378	-1.340		1506.117	
NO.3+10	0.622	70.000	1.617		1507.734	
NO.3+10		70.000			1507.634	KH= 0.10
+	4.799	74.799	0.084		1507.818	アスファルト
NO.3+15	0.201	75.000	-3.485		1504.333	
+	0.099	75.099	0.005		1504.338	
+	0.000	75.099	2.180		1506.518	
NO.4	4.902	80.000	0.590	-1	1507.107	
tp						
NO.4		80.000			1507.107	
NO.5	19.964	100.000	0.504		1507.611	
SP1	16.270	116.286	-0.751		1506.860	
+	1.500	117.786	-1.133		1505.727	アスファルト
+	1.000	118.786	0.940		1506.667	
+	0.600	119.386	1.920		1508.587	
NO.6	0.614	120.000	0.364		1508.951	
NO.6		120.000			1508.871	KH= 0.08
NO.7	19.969	140.000	-1.594		1507.357	
NO.8	19.964	160.000	0.213	-2	1507.568	
tp						
NO.8		160.000			1507.568	
EC1	3.693	163.694	0.458		1508.026	
EC1		163.694			1507.746	KH= 0.28
+	6.201	169.895	-0.049		1507.977	フェンス H=1.9
NO.9	10.104	180.000	-0.003		1507.974	
+	3.202	183.202	-0.017		1507.957	
+	0.701	183.903	-0.050		1507.907	家(無壁)
+	9.599	193.502	-0.310		1507.597	家(無壁)
NO.10	6.500	200.000	0.011		1507.608	
+	2.001	202.001	0.019		1507.627	
KA2-1	11.961	213.960	0.531		1508.158	
KA2-1		213.960			1507.938	KH= 0.22

間 接 縦 断 測 量 計 算 簿

路線名 : TestRosen [BM.1] [BM.2] [往 路]

測 点	点間距離	追加距離	高低差	補正量	決定標高	備 考
	m	m	m	mm	m	
+	0.798	214.758	-0.221		1507.937	コンクリート
+	2.700	217.458	-0.140		1507.797	フェンス H=1.5
+	0.500	217.958	-0.090		1507.707	
+	0.000	217.958	-0.250		1507.457	コンクリート
NO.11	2.043	220.000	0.082		1507.539	
+	5.317	225.317	0.177		1507.716	
+	11.917	237.234	0.620		1508.336	
BM.2	18.553		0.746	-1	1509.081	

[点間距離] =	274.630	[高低差] =	4.396		
				閉合点	1509.081
[高低差]	4.396	辺数	3	出発点	1504.689
Dh	4.392			差 Dh	4.392
閉合差	0.004				

間 接 縱 断 測 量 計 算 簿

路線名 : TestRosen [BM.2] [BM.1] [復 路]

測 点	点間距離 m	追加距離 m	高低差 m	補正量 mm	決定標高 m	備 考
BM.2					1509.081	
N0.11	22.231		-1.538		1507.543	
KA2-1	6.041		0.621		1508.164	
N0.10	13.961		-0.550		1507.614	
N0.9	20.001		0.367		1507.981	
EC1	16.305		0.052		1508.033	
N0.8	3.695		-0.458	0	1507.575	
tp						
N0.8					1507.575	
N0.7	19.968		-0.214		1507.361	
N0.6	19.968		1.589		1508.950	
SP1	3.714		-2.091		1506.859	
N0.5	16.270		0.751		1507.610	
N0.4	19.965		-0.502	1	1507.109	
tp						
N0.4					1507.109	
N0.3+15	5.002		-2.772		1504.337	
N0.3+10	5.001		3.398		1507.735	
BC1	1.121		-0.275		1507.460	
N0.3	8.879		-0.264		1507.196	
N0.2+5	15.002		-0.455		1506.741	
N0.2	5.000		-0.175		1506.566	
N0.1	20.003		-0.260		1506.306	
N0.0	20.001		-0.300		1506.006	
BM.1	18.953		-1.317	0	1504.689	

[点間距離] = 261.081 [高低差] = -4.393

			閉合点	1504.689
[高低差]	-4.393	辺数	3	出発点
Dh	-4.392			差 Dh
閉合差	-0.001			