

横 断 測 量 成 果 表

路線名：(主) 天竜公園阿智線(本線)

測点名 [KE4-2] 追加距離 = 469.590

No	地 点	距 離	地盤高	備 考	No	地 点	距 離	地盤高	備 考
1		-45.438	592.124					TH= 621.384	
2		-44.385	592.274		40		26.470	621.075	
3		-43.322	592.688	カーブレール H=0.8	41		27.687	620.527	
4		-43.141	592.723	アスファルト	42		29.924	620.626	
5	方向杭	-42.000	592.845		43		32.828	619.861	
			TH= 592.845		44		36.154	619.366	
6		-38.322	593.145		45		39.748	617.556	
7		-32.676	593.598	アスファルト モルタル吹付	46		40.748	617.856	
8		-31.842	595.291						
9		-31.830	596.571						
10		-30.159	598.904						
11		-29.249	599.791						
12		-27.832	600.520						
13		-24.832	600.220						
14		-20.134	604.030						
15		-17.202	605.027	モルタル吹付					
16		-16.120	605.657						
17		-15.057	606.345						
18		-12.759	607.519						
19	方向杭	-10.212	608.869						
			TH= 609.029						
20		-8.905	609.150						
21		-7.451	610.186						
22		-5.324	611.664						
23		-3.102	612.834						
24		-1.607	613.527						
25	中心杭	0.000	614.770						
			TH= 614.911						
26		1.905	615.722						
27	方向杭	3.001	615.997						
			TH= 616.127						
28		4.261	616.333						
29		5.225	616.725						
30		6.277	617.609						
31		8.146	617.855						
32		9.434	618.459						
33	方向杭	9.998	618.523						
			TH= 618.693						
34		12.233	618.939						
35		14.143	619.334						
36		16.943	619.666						
37		19.316	620.029						
38		20.536	620.062						
39	方向杭	25.521	621.204						

横 断 測 量 成 果 表

路線名：（主）天竜公園阿智線（本線）

測点名 [NO. 24] 追加距離 = 480.000

No	地 点	距 離	地盤高	備 考
1		-40.159	601.035	
2		-37.159	602.835	
3		-36.006	603.553	モルタル吹付
4		-34.586	604.464	
5		-32.287	605.412	
6		-30.096	606.129	
7	方向杭	-28.059	606.733	
			TH= 606.893	
8		-25.909	607.082	
9		-22.827	607.291	
10		-20.724	607.931	
11		-17.502	609.879	
12		-15.070	611.590	
13		-13.806	612.361	
14		-11.917	613.780	
15		-10.399	614.199	
16		-8.820	615.580	
17		-5.811	617.355	
18		-4.633	618.069	
19		-3.160	619.665	
20		-1.034	620.498	
21	中心杭	0.000	620.840	
			TH= 620.966	
22		1.127	621.330	
23		3.698	622.630	
24		6.064	623.595	
25		8.680	624.937	
26	方向杭	10.001	625.135	
			TH= 625.265	
27		12.795	625.398	
28		16.591	625.493	
29		20.459	625.375	
30	方向杭	22.312	625.334	
			TH= 625.474	
31		23.140	625.032	
32		24.477	623.866	
33		26.178	623.666	
34		28.410	624.051	
35		30.434	623.858	
36		33.318	623.288	
37		34.281	623.309	
38		36.497	622.250	
39		37.303	622.129	
40		40.718	620.256	

橫 斷 測 量 成 果 表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 25] 追加距離 = 500.000

No	地 点	距 離	地盤高	備 考	No	地 点	距 離	地盤高	備 考
1		-30.554	615.742		41		32.752	627.199	
2		-29.414	616.530		42		34.960	626.588	
3		-26.895	618.017						
4		-24.435	619.434						
5		-21.840	620.327						
6	方向杭	-19.661	620.255						
			TH= 620.465						
7		-17.294	620.755						
8		-15.294	621.413						
9		-14.523	621.848						
10		-11.823	622.315						
11		-9.557	623.231						
12		-6.975	624.261						
13		-5.286	625.552						
14		-3.636	626.148						
15		-1.628	627.225						
16	中心杭	0.000	628.370						
			TH= 628.558						
17		0.698	628.969						
18		1.487	629.781						
19		2.660	629.877						
20		3.718	630.258						
21		5.333	630.960						
22		7.338	630.883						
23		8.762	631.426						
24		10.780	632.204						
25		12.096	632.374						
26	方向杭	14.052	632.239						
			TH= 632.389						
27		14.671	632.218						
28		15.655	631.472						
29		17.792	629.769						
30		18.445	629.574						
31		19.196	629.552						
32		20.043	629.884						
33		21.734	630.921						
34		22.443	630.788						
35		23.875	630.011						
36		24.373	629.938						
37	方向杭	25.246	630.237						
			TH= 630.417						
38		26.463	629.717						
39		28.634	628.922						
40		29.806	628.346						

横 断 測 量 成 果 表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 26] 追加距離 = 520.000

No	地 点	距 離	地盤高	備 考
1		-32.558	619.552	
2		-31.829	620.619	
3		-30.060	621.905	
4		-28.651	623.101	
5		-26.458	624.999	
6		-25.988	625.065	
7		-23.526	626.275	
8		-20.795	627.817	
9	方向杭	-19.644	628.076	
			TH= 628.266	
10		-18.954	628.124	
11		-17.579	628.704	
12		-16.885	629.303	
13		-15.867	629.538	
14		-14.442	630.264	
15		-11.507	630.975	
16		-9.859	631.262	
17		-7.506	631.911	
18	方向杭	-5.008	632.632	
			TH= 632.792	
19		-4.275	632.832	
20		-1.818	634.197	
21		-0.536	634.311	
22	中心杭	0.000	634.510	
			TH= 634.729	
23		0.970	634.877	
24		2.061	635.195	
25		4.415	636.052	
26		6.217	636.257	
27		8.370	636.608	
28		10.760	636.334	
29		12.561	636.041	
30		13.466	636.305	
31	方向杭	14.000	636.284	
			TH= 636.384	
32		15.884	635.096	
33		16.685	634.911	
34		17.421	634.349	
35		19.751	633.763	
36		21.804	632.519	
37		23.782	631.395	
38		26.359	629.455	
39		29.602	627.670	
40		32.044	626.428	

横 断 測 量 成 果 表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 27] 追加距離 = 540.000

No	地 点	距 離	地盤高	備 考
1		-32.793	611.998	
2		-30.082	613.560	
3		-28.456	614.432	
4		-25.474	616.253	
5		-22.507	618.148	
6		-20.440	619.675	
7		-18.404	621.145	
8	方向杭	-17.013	622.344	
			TH= 622.474	
9		-15.647	623.418	
10		-13.373	624.774	
11		-11.169	626.518	
12		-7.952	628.945	
13		-5.556	630.931	
14		-3.559	632.885	
15		-2.277	633.992	
16		-0.684	635.614	
17	中心杭	0.000	636.080	
			TH= 636.239	
18		0.575	636.407	
19		1.657	637.385	
20		3.170	638.926	
21		5.024	640.318	
22	方向杭	6.003	640.377	
			TH= 640.517	
23		7.629	640.315	
24		8.471	640.364	
25		9.753	640.641	
26		11.111	640.341	
27		12.806	640.217	
28		13.428	639.882	
29		16.344	638.615	
30		18.877	637.683	
31		21.922	636.705	
32		24.155	636.994	
33		26.083	636.840	
34	方向杭	28.840	637.037	
			TH= 637.177	
35		31.645	637.120	
36		34.856	637.640	

橫 斷 測 量 成 果 表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 28] 追加距離 = 560.000

No	地 点	距 離	地盤高	備 考
1		-33.003	622.647	
2		-31.072	624.102	
3		-27.406	626.679	
4		-25.575	627.928	
5		-22.604	630.767	
6		-20.430	631.281	
7		-18.309	632.151	
8		-17.541	632.842	
9		-16.266	633.221	
10	方向杭	-15.016	633.298	
			TH= 633.428	
11		-12.840	634.012	
12		-11.531	634.016	
13		-8.998	635.433	
14		-6.883	636.124	
15		-5.860	637.089	
16		-4.202	638.562	
17		-2.583	639.785	
18		-1.647	640.174	
19	中心杭	0.000	641.920	
			TH= 642.086	
20		0.830	643.321	
21		1.938	644.265	
22	方向杭	3.009	644.406	
			TH= 644.516	
23		4.078	644.423	
24		5.128	645.061	
25		6.420	645.120	
26		7.531	645.035	
27		8.389	644.741	
28		9.636	644.559	
29	方向杭	10.452	644.460	
			TH= 644.580	
30		12.876	643.722	
31		15.848	642.781	
32	方向杭	17.013	642.339	
			TH= 642.619	
33		19.508	641.340	
34		23.326	640.072	
35		26.091	639.265	
36		29.684	638.297	
37		33.650	638.026	

横断測量成果表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 29] 追加距離 = 580.000

No	地点	距離	地盤高	備考	No	地点	距離	地盤高	備考
1		-33.550	629.429		41		31.903	626.231	
2		-31.892	630.359		42		36.390	625.835	
3		-29.901	632.228						
4		-29.186	633.205						
5		-26.678	634.782						
6		-24.858	635.860						
7		-23.232	637.073						
8		-22.333	637.254						
9		-20.637	638.588						
10		-19.068	639.596						
11		-18.290	639.836						
12		-16.148	640.911						
13		-13.825	642.247						
14		-12.422	643.047						
15	方向杭	-11.707	643.802						
			TH= 644.042						
16		-10.486	644.085						
17		-8.663	645.010						
18	方向杭	-6.990	645.139						
			TH= 645.239						
19		-5.770	645.105						
20		-4.267	644.832						
21		-3.626	644.229						
22		-2.510	643.743						
23		-1.273	643.668						
24		-0.506	643.477						
25	中心杭	0.000	643.200						
			TH= 643.317						
26		0.279	643.020						
27		0.611	642.890						
28		1.962	641.461						
29		4.253	639.991						
30		6.414	639.077						
31		7.562	638.361						
32		9.575	636.908						
33		12.098	634.406						
34		14.514	631.323						
35		17.608	630.524						
36		20.725	629.932						
37	方向杭	21.517	629.663						
			TH= 629.793						
38		22.056	629.391						
39		24.584	627.273						
40		26.789	626.726	アスファルト					

横 断 測 量 成 果 表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 30] 追加距離 = 600.000

No	地 点	距 離	地盤高	備 考
1		-32.885	641.107	
2		-31.168	641.548	
3		-30.247	642.235	
4		-27.723	642.926	
5		-24.754	644.188	
6		-21.943	645.501	
7		-19.593	646.650	
8	方向杭	-16.998	646.765	
			TH= 646.865	
9		-13.642	646.477	
10		-13.069	646.013	
11		-12.158	645.743	
12		-11.235	644.791	
13		-10.922	644.711	
14		-9.607	643.683	
15		-4.951	643.260	
16		-3.508	642.471	
17		-1.354	640.952	
18	中心杭	0.000	640.070	
			TH= 640.206	
19		0.940	639.600	
20		3.517	639.021	
21		5.674	638.015	
22		7.376	637.787	
23		8.587	637.132	
24		12.402	636.603	
25		16.305	636.381	
26		18.547	635.643	
27		19.951	635.705	
28	方向杭	20.837	636.040	
			TH= 636.160	
29		21.102	636.028	
30		23.411	634.636	
31		26.116	632.341	
32		30.538	627.918	
33		34.258	627.936	

橫 斷 測 量 成 果 表

路線名：（主）天竜公園阿智線（本線）

測点名 [NO. 31] 追加距離 = 620.000

No	地 点	距 離	地盤高	備 考
1		-34.503	641.597	
2		-31.768	642.450	
3		-28.122	643.852	
4		-26.029	644.705	
5		-23.278	645.771	
6		-21.159	646.691	
7	方向杭	-19.692	646.919	
			TH= 647.069	
8		-14.586	647.295	
9		-10.848	647.271	
10		-9.395	647.045	
11		-8.084	647.205	
12		-4.921	646.816	
13		-3.274	646.643	
14		-2.612	647.311	
15		-1.625	647.715	
16	中心杭	0.000	647.880	
			TH= 648.018	
17		0.884	648.184	
18		3.090	648.372	
19		4.594	648.822	
20		5.141	648.705	
21		7.428	648.831	
22	方向杭	7.997	648.993	
			TH= 649.113	
23		8.637	648.969	
24		9.690	648.446	
25		10.943	647.461	
26		12.014	647.519	
27		13.392	647.219	
28		15.838	645.359	
29		17.670	645.179	
30		19.171	644.817	
31	方向杭	20.722	644.817	
			TH= 644.957	
32		22.028	643.423	
33		24.748	641.187	
34		28.115	640.617	
35		29.749	640.076	
36		31.514	639.894	

横 断 測 量 成 果 表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 32] 追加距離 = 640.000

No	地 点	距 離	地盤高	備 考
1		-32.336	634.750	
2		-30.158	634.769	
3		-27.980	636.970	
4		-25.983	638.155	
5		-24.086	639.632	
6		-21.103	641.935	
7		-17.743	644.242	
8		-15.240	646.556	
9	方向杭	-13.715	647.817	
			TH= 647.967	
10		-10.070	648.281	
11		-7.596	648.669	
12		-5.807	650.602	
13	方向杭	-5.004	650.712	
			TH= 650.732	
14		-2.813	650.803	
15		-1.413	652.281	
16	中心杭	0.000	652.310	
			TH= 652.439	
17		3.988	652.367	
18		7.409	652.394	
19		13.048	652.251	
20		18.815	652.056	
21	方向杭	22.147	651.826	
			TH= 651.926	
22		23.485	651.349	
23		25.899	649.066	
24		27.849	647.646	
25		30.745	645.892	
26		33.542	644.290	

橫 斷 測 量 成 果 表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 33] 追加距離 = 660.000

No	地 点	距 離	地盤高	備 考
1		-31.889	643.054	
2		-28.656	644.098	
3		-26.128	645.577	
4		-23.003	646.997	
5		-20.580	648.414	
6	方向杭	-18.720	649.112	
			TH= 649.262	
7		-16.875	649.421	
8		-14.518	649.856	
9		-11.920	650.614	
10		-9.259	652.176	
11		-7.401	653.321	
12	方向杭	-6.508	653.342	
			TH= 653.462	
13		-6.269	653.193	
14		-2.080	653.257	
15	中心杭	0.000	653.180	
			TH= 653.187	
16		2.263	653.183	
17		4.142	653.630	
18		5.501	654.440	
19		6.391	655.300	
20		6.740	656.590	
21		7.482	656.666	
22	方向杭	8.198	656.699	
			TH= 656.849	
23		9.786	656.194	
24		11.386	655.328	
25		12.622	654.885	
26		14.973	653.383	
27	方向杭	17.959	651.575	
			TH= 651.755	
28		20.062	650.060	
29		22.071	648.662	
30		24.365	646.783	
31		25.904	645.506	
32		27.984	644.025	
33		30.822	640.870	

横 断 測 量 成 果 表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 34] 追加距離 = 680.000

No	地 点	距 離	地盤高	備 考
1		-30.980	649.666	
2	方向杭	-24.520	649.651	
			TH= 649.851	
3		-18.670	649.618	
4		-13.610	649.542	
5		-7.898	649.399	
6		-3.577	649.289	
7	中心杭	0.000	649.180	
			TH= 649.396	
8		2.338	649.048	
9	方向杭	5.001	649.098	
			TH= 649.278	
10		5.795	649.172	
11		7.579	649.710	
12		9.273	650.521	
13		11.699	651.535	
14		12.530	651.600	
15		15.119	651.427	
16		16.918	652.541	
17		17.381	652.879	
18	方向杭	17.980	652.783	
			TH= 653.043	
19		18.727	652.741	
20		20.512	651.636	
21		23.058	650.529	
22		26.186	649.430	
23		28.708	648.776	
24		30.534	648.547	
25		34.080	648.406	

横 断 測 量 成 果 表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 35] 追加距離 = 700.000

No	地 点	距 離	地盤高	備 考
1		-33.248	649.589	
2	方向杭	-31.657	649.542	
			TH= 649.722	
3		-28.548	649.553	
4		-22.589	649.387	
5		-16.279	649.370	
6		-10.080	649.151	
7		-4.027	649.077	
8	中心杭	0.000	648.930	
			TH= 649.148	
9		4.806	648.869	
10		11.101	648.798	
11		18.287	648.536	
12		25.481	648.550	
13	方向杭	26.793	648.588	
			TH= 648.838	
14		30.343	648.536	
15		32.526	648.779	

横 断 測 量 成 果 表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 36] 追加距離 = 720.000

No	地 点	距 離	地盤高	備 考
1		-31.498	660.352	
2		-30.067	659.563	
3		-26.884	657.361	
4		-25.595	656.448	
5		-23.608	655.227	
6		-21.426	653.284	
7		-18.264	650.924	
8		-16.190	649.400	
9	方向杭	-15.458	649.114	
			TH= 649.254	
10		-13.440	649.015	
11		-7.474	648.940	
12		-1.120	648.785	
13	中心杭	0.000	648.810	
			TH= 649.019	
14		2.313	648.863	
15		3.303	649.158	
16	方向杭	3.994	649.197	
			TH= 649.347	
17		4.780	649.100	
18		8.087	648.292	
19		11.594	647.589	
20		14.650	646.577	
21		17.167	645.631	側溝
22		17.167	645.431	
23		17.441	645.417	
24		17.441	645.617	側溝
25		18.308	645.748	
26		19.437	645.657	
27		22.359	646.129	
28	方向杭	23.365	646.650	
			TH= 646.780	
29		23.937	646.738	
30		26.690	645.750	
31		30.708	644.618	

横断測量成果表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 37] 追加距離 = 740.000

No	地点	距離	地盤高	備考	No	地点	距離	地盤高	備考
1		-33.927	654.947		42		28.965	641.749	
2		-31.477	654.714		43		30.630	643.387	
3		-28.984	654.227		44		32.112	643.555	
4		-25.687	653.176		45		33.377	643.516	
5		-20.852	650.890						
6		-18.799	649.763						
7	方向杭	-15.296	647.805						
			TH= 647.955						
8		-13.794	646.953						
9		-12.307	646.481						
10		-9.150	644.771						
11		-6.001	644.088						
12		-3.745	642.980						
13		-2.562	642.698						
14		-1.182	642.086						
15		-0.916	641.842	側溝					
16		-0.916	641.642						
17		-0.617	641.685						
18		-0.617	641.885	側溝					
19	中心杭	0.000	641.910						
			TH= 642.177						
20		1.914	641.890						
21		4.530	641.799						
22		4.901	641.612						
23		5.157	641.583	側溝					
24		5.257	641.583						
25		5.257	641.503						
26		5.307	641.503						
27		5.307	641.083						
28		6.107	641.083						
29		6.107	641.503						
30		6.157	641.503						
31		6.157	641.583						
32		6.257	641.583	側溝 アスファルト					
33		11.731	641.822						
34	方向杭	15.996	641.946						
			TH= 641.946						
35		16.852	641.936	アスファルト					
36		17.320	641.950						
37		18.434	641.736						
38		21.320	640.839						
39		23.406	641.035						
40		24.075	641.225						
41		25.987	641.389						

横断測量成果表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 38] 追加距離 = 760.000

No	地点	距離	地盤高	備考
1		-34.041	643.407	
2		-30.236	643.037	
3		-28.674	643.342	
4		-26.116	643.219	
5		-25.751	643.134	
6		-24.831	642.367	
7		-23.047	642.031	
8	方向杭	-21.523	641.112	
		TH=	641.272	
9		-20.855	640.913	側溝
10		-20.755	640.913	
11		-20.755	640.813	
12		-20.685	640.813	
13		-20.685	640.513	
14		-20.125	640.513	
15		-20.125	640.813	
16		-20.055	640.813	
17		-20.055	640.913	
18		-19.955	640.913	側溝 アスファルト
19		-16.023	640.950	
20		-10.813	640.933	
21		-10.658	640.872	アスファルト コンクリート
22		-10.497	640.867	
23		-10.401	640.717	コンクリート
24		-7.531	640.971	
25	方向杭	-3.007	641.222	
		TH=	641.372	
26		-2.298	641.105	
27		-1.037	640.167	
28	中心杭	0.000	639.510	
		TH=	639.679	
29		1.023	639.219	
30		2.741	639.047	
31		8.155	639.331	
32		13.680	639.092	
33		17.261	639.130	
34		20.749	639.009	
35		21.472	639.205	
36	方向杭	22.267	639.818	
		TH=	639.908	
37		24.493	640.570	
38		28.393	641.457	
39		32.276	642.757	

横 断 測 量 成 果 表

路線名：（主）天竜公園阿智線（本線）

測点名 [NO. 39] 追加距離 = 780.000

No	地 点	距 離	地盤高	備 考
1		-32.129	640.178	側溝 アスファルト
2		-30.015	640.161	
3		-26.639	640.083	
4		-26.310	639.897	アスファルト コンクリート
5		-26.174	639.259	コンクリート
6		-24.535	638.336	
7		-23.477	637.034	
8		-21.736	636.987	
9		-19.446	637.044	
10		-18.302	638.221	
11	方向杭	-17.254	638.932	
		TH=	639.092	
12		-14.513	639.121	
13		-11.194	638.922	
14		-6.891	639.092	
15		-6.343	639.239	
16	方向杭	-4.990	639.271	
		TH=	639.471	
17		-3.672	639.226	
18		-0.705	639.334	
19	中心杭	0.000	639.480	
		TH=	639.584	
20		1.388	639.309	
21		2.609	639.488	
22		4.633	639.238	
23		8.211	639.266	
24		10.592	639.054	
25		11.286	639.083	
26		12.834	638.863	
27		15.128	638.152	
28		16.598	638.167	
29		17.682	638.665	
30		19.410	638.947	
31		22.234	639.314	
32	方向杭	24.290	640.563	
		TH=	640.693	
33		26.615	642.081	
34		28.595	642.599	
35		29.654	643.743	
36		31.272	644.252	
37		33.517	645.640	

横断測量成果表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 40] 追加距離 = 800.000

No	地点	距離	地盤高	備考	No	地点	距離	地盤高	備考
1		-42.309	642.989		41		30.851	641.381	
2		-41.089	641.414		42		30.715	642.542	崩土
3		-38.943	639.706		43		33.016	643.661	
4		-38.296	639.478		44		34.010	644.030	
5		-37.644	639.474	アスファルト	45		35.481	644.984	
6		-35.265	639.453		46		37.924	646.223	
7		-32.802	639.376	アスファルト	47		41.707	648.092	
8		-32.611	639.400						
9		-31.734	638.805						
10		-30.098	637.518						
11		-27.833	635.626						
12	方向杭	-27.073	635.241						
			TH= 635.361						
13		-26.304	634.414						
14		-24.121	634.283						
15		-22.904	633.512						
16		-20.254	633.105						
17		-18.186	632.613						
18		-15.664	632.213						
19		-11.606	632.061						
20		-8.501	631.660						
21		-7.010	631.595						
22	方向杭	-4.998	631.353						
			TH= 631.483						
23		-4.276	631.205						
24		-2.337	631.099						
25		-0.860	631.121						
26	中心杭	0.000	631.200						
			TH= 631.394						
27		3.184	630.867						
28		6.488	630.831						
29		13.630	631.195						
30		14.714	631.838						
31		17.641	635.501						
32		19.181	637.256						
33	方向杭	20.479	637.926						
			TH= 638.096						
34		21.314	638.143						
35		22.723	638.878						
36		24.013	639.008						
37		25.767	639.191						
38		27.513	639.838						
39		29.613	640.006	崩土					
40		30.351	640.681						

横断測量成果表

路線名：(主)天竜公園阿智線(本線)

測点名 [KA4-2] 追加距離 = 805.990

No	地点	距離	地盤高	備考	No	地点	距離	地盤高	備考
1		-43.680	642.003		42		18.288	635.663	
2		-42.011	640.542		43		20.761	637.589	
3		-40.177	639.350		44	方向杭	21.428	637.747	
4		-38.829	639.270	アスファルト				TH= 637.867	
5		-36.727	639.366		45		22.680	637.875	
6		-34.330	639.307	アスファルト	46		24.231	637.962	
7		-34.004	639.311		47		26.837	638.035	
8		-33.197	638.762		48		29.579	640.436	
9		-30.631	636.217		49		30.951	640.911	
10		-29.213	634.888		50		33.559	641.097	崩土
11	方向杭	-28.627	634.532		51		35.723	642.926	
			TH= 634.732		52		36.126	643.750	崩土
12		-26.376	633.907		53		38.709	645.279	
13		-25.176	633.814		54		41.728	646.749	
14		-23.568	633.671		55		44.498	648.375	
15		-21.926	632.742						
16		-20.446	631.803						
17		-18.865	631.320						
18		-18.074	630.800						
19		-16.385	630.772						
20		-15.205	631.211						
21		-14.683	631.226						
22		-11.949	630.193						
23		-11.012	630.278						
24		-9.331	629.805						
25		-7.955	630.001						
26		-5.513	629.942						
27	方向杭	-4.667	630.116						
			TH= 630.246						
28		-4.331	630.110						
29		-3.022	629.834						
30		-1.836	630.026						
31		-1.437	630.414						
32		-0.050	630.559	コンクリート					
33		-0.050	630.659						
34	中心杭	0.000	630.660						
			TH= 630.660						
35		0.471	630.681	コンクリート 家(無壁)					
36		2.095	630.722	家(無壁)					
37		5.704	630.752						
38		13.877	631.247						
39		14.692	631.879						
40		16.156	633.096						
41		17.628	634.349						

橫 斷 測 量 成 果 表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 41] 追加距離 = 820.000

No	地 点	距 離	地盤高	備 考
1		-33.402	636.325	
2		-31.214	634.990	
3		-30.030	633.834	
4		-28.434	632.271	
5		-25.440	632.218	
6	方向杭	-24.930	632.078	
			TH= 632.228	
7		-22.570	630.165	
8		-20.523	629.141	
9		-18.713	627.690	
10		-16.471	627.408	
11		-14.570	627.525	
12		-12.500	627.948	
13		-10.284	628.125	
14		-8.102	628.395	
15		-7.316	628.329	
16		-6.758	627.922	
17		-6.409	627.891	
18		-4.352	628.602	
19		-2.375	628.674	
20		-1.922	628.603	
21		-1.779	628.592	
22	中心杭	0.000	629.850	
			TH= 630.018	
23		0.825	630.102	
24		1.485	630.406	
25		3.478	630.800	
26		8.187	631.195	
27		9.787	630.935	
28		13.294	630.908	
29		14.428	631.028	崩土
30		16.771	633.534	崩土
31		17.781	634.124	
32		22.215	634.266	
33	方向杭	24.224	635.315	
			TH= 635.505	
34		25.184	635.531	
35		26.401	635.691	
36		27.555	635.808	
37		30.176	638.351	
38		31.459	639.677	
39		32.954	640.564	

横 断 測 量 成 果 表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 42] 追加距離 = 840.000

No	地 点	距 離	地盤高	備 考
1		-33.911	629.371	
2		-31.884	629.395	
3	方向杭	-31.542	629.297	
		TH=	629.397	
4		-29.447	627.454	
5		-28.347	626.697	
6		-18.635	626.687	
7		-10.982	626.638	
8		-5.552	626.608	
9		-2.606	626.699	
10	中心杭	0.000	626.640	
		TH=	626.783	
11		4.125	626.703	
12		5.355	626.818	
13		6.040	627.113	
14		7.609	627.188	
15		9.413	629.134	
16		10.906	629.561	
17		14.057	630.225	
18		16.606	630.451	
19		17.878	630.067	
20		18.806	630.366	
21		21.495	631.836	
22		23.817	632.760	
23		24.980	632.748	
24	方向杭	26.170	633.175	
		TH=	633.345	
25		29.091	633.282	崩土
26		30.195	634.030	
27		30.397	634.561	崩土
28		32.987	635.536	

横 断 測 量 成 果 表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 43] 追加距離 = 860.000

No	地 点	距 離	地盤高	備 考
1		-34.485	626.434	
2		-31.343	626.463	
3		-30.236	626.924	
4		-28.983	627.023	
5		-27.595	626.933	
6		-26.619	626.842	
7	方向杭	-26.065	626.439	
		TH=	626.569	
8		-24.517	625.223	
9		-23.785	624.888	
10		-22.847	624.759	シ`ヤカコ`
11		-22.499	624.565	
12		-22.226	624.008	シ`ヤカコ`
13		-21.786	624.002	
14		-21.588	624.132	
15		-20.588	624.135	
16		-19.914	623.941	
17	中心杭	0.000	623.900	
		TH=	624.128	
18		6.854	623.948	
19		7.937	624.189	
20		9.377	624.183	
21		11.403	622.997	
22		11.920	622.919	側溝
23		11.920	622.668	
24		12.489	622.643	
25		12.489	622.893	側溝
26		13.452	622.919	
27		15.638	623.792	
28		17.300	623.831	
29		20.477	625.143	
30		21.931	625.313	
31	方向杭	23.757	626.225	
		TH=	626.465	
32		25.063	627.035	
33		27.041	628.013	
34		29.287	629.035	
35		31.064	629.453	
36		33.183	629.151	

横 断 測 量 成 果 表

路線名：（主）天竜公園阿智線（本線）

測点名 [NO. 44] 追加距離 = 880.000

No	地 点	距 離	地盤高	備 考
1		-32.554	626.423	
2		-22.614	626.426	
3		-22.481	626.562	
4		-21.629	626.540	
5		-20.628	626.069	
6		-19.134	626.054	
7	方向杭	-17.476	625.909	
			TH= 626.049	
8		-15.219	624.508	ｼﾞｬｶｺﾞ
9		-14.359	624.487	
10		-14.309	624.109	ｼﾞｬｶｺﾞ
11		-13.460	624.051	
12		-13.224	623.946	
13	中心杭	0.000	623.910	
			TH= 624.143	
14		12.944	623.947	
15		14.279	624.179	
16	方向杭	17.005	624.082	
			TH= 624.222	
17		21.700	622.895	
18		25.258	621.847	
19		26.553	621.878	
20		27.706	622.301	
21		28.696	622.286	
22		29.313	622.199	
23		34.338	622.220	

橫 斷 測 量 成 果 表

路線名：(主)天竜公園阿智線(本線)

測点名 [KA5-1] 追加距離 = 892.064

No	地 点	距 離	地盤高	備 考
1		-32.727	626.413	
2		-25.461	626.429	
3		-25.229	626.533	
4		-23.819	626.539	
5		-23.411	626.387	
6		-16.851	626.358	
7		-16.647	626.492	
8		-15.987	626.481	
9		-15.085	625.748	側溝
10		-15.085	625.598	
11		-14.885	625.598	
12		-14.885	625.748	側溝
13		-14.461	625.880	
14		-13.402	625.932	
15		-12.370	625.935	
16	方向杭	-12.002	625.894	
			TH= 625.894	
17		-11.529	625.790	
18		-10.857	625.500	
19		-10.857	624.970	
20		-10.857	625.500	
21		-10.154	625.134	
22		-9.368	624.987	
23		-7.317	623.924	
24		-4.830	622.887	
25		-1.974	622.511	
26		-0.229	622.378	
27	中心杭	0.000	622.310	
			TH= 622.452	
28		0.863	622.048	
29		1.481	622.010	
30		2.615	622.562	
31	方向杭	3.441	622.515	
			TH= 622.625	
32		4.212	622.484	
33		4.484	622.330	
34		5.018	622.333	
35		5.306	622.245	
36		32.975	622.206	

横断測量成果表

路線名：（主）天竜公園阿智線（本線）

測点名 [NO. 45] 追加距離 = 900.000

No	地 点	距 離	地盤高	備 考
1		-33.819	626.390	
2		-12.869	626.333	
3		-12.747	626.469	
4		-12.128	626.423	
5		-11.132	625.844	側溝
6		-11.132	625.694	
7		-10.932	625.694	
8		-10.932	625.844	側溝
9		-10.857	625.938	
10		-9.540	626.003	
11	方向杭	-8.509	625.961	
		TH=	625.981	
12		-8.081	625.885	
13		-6.673	625.328	
14		-4.066	623.765	
15		-1.956	622.760	シ`ヤコ`
16		-1.093	622.755	
17		-0.982	622.354	シ`ヤコ`
18		-0.424	621.976	
19	中心杭	0.000	621.950	
		TH=	622.143	
20		2.354	621.951	
21		3.447	622.576	
22		4.344	622.641	
23		4.794	622.400	
24	方向杭	5.033	622.452	
		TH=	622.532	
25		6.231	622.337	
26		6.498	622.214	
27		34.483	622.194	

横 断 測 量 成 果 表

路線名：（主）天竜公園阿智線（本線）

測点名 [NO. 46] 追加距離 = 920.000

No	地 点	距 離	地盤高	備 考
1		-32.569	630.200	
2		-31.254	630.039	
3	方向杭	-30.000	629.807	
			TH= 629.937	
4		-25.059	629.209	
5		-24.030	629.026	
6		-18.170	629.022	
7		-15.590	629.088	
8		-12.200	629.117	
9		-9.720	628.992	
10	中心杭	0.000	628.770	
			TH= 628.935	
11		12.140	628.542	
12	方向杭	25.925	628.477	
			TH= 628.587	
13		34.882	628.287	

横 断 測 量 成 果 表

路線名：（主）天竜公園阿智線（本線）

測点名 [KE5-1] 追加距離 = 937.064

No	地 点	距 離	地盤高	備 考
1		-32.881	630.436	
2		-30.651	628.898	
3		-30.381	628.886	
4		-30.257	629.139	
5	方向杭	-30.011	629.173	
			TH= 629.173	
6		-29.797	629.148	
7		-29.699	628.989	
8	中心杭	0.000	629.020	
			TH= 629.223	
9		9.737	629.081	
10		10.298	629.205	シ`ャカコ`
11		10.679	629.662	シ`ャカコ`
12		14.256	630.022	
13		15.326	630.034	石積
14		15.763	631.305	石積
15	方向杭	17.618	632.153	
			TH= 632.283	
16		18.529	632.448	
17		21.378	632.384	
18		24.715	632.351	
19		27.617	631.369	
20		32.911	630.181	

横 断 測 量 成 果 表

路線名：（主）天竜公園阿智線（本線）

測点名 [NO. 47] 追加距離 = 940.000

No	地 点	距 離	地盤高	備 考
1		-31.246	629.997	
2	方向杭	-30.008	629.324	
		TH=	629.434	
3		-29.720	628.927	
4		-29.558	628.941	
5		-29.338	629.141	
6		-28.928	629.173	
7		-28.819	628.999	
8	中心杭	0.000	629.000	
		TH=	629.211	
9		3.218	629.029	
10		3.580	629.222	シ`ャカコ`
11		4.022	629.668	シ`ャカコ`
12		8.998	630.091	石積
13		10.108	631.208	石積
14	方向杭	13.644	632.756	
		TH=	632.966	
15		14.985	632.943	
16		18.628	632.909	
17		23.039	632.966	
18		23.860	633.463	
19		27.022	633.463	
20		29.761	633.337	
21		31.248	633.020	
22		32.713	632.855	

横断測量成果表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 48] 追加距離 = 960.000

No	地点	距離	地盤高	備考
1		-33.645	636.351	
2		-26.785	636.441	アスファルト
3		-26.085	636.459	
4		-23.675	636.493	ガードレール H=0.8
5	方向杭	-22.772	636.390	
			TH= 636.540	
6		-19.394	636.153	
7		-17.805	636.527	
8		-17.305	636.525	
9		-14.764	636.125	
10		-13.713	636.084	
11		-11.962	636.061	
12		-10.819	635.949	
13	中心杭	0.000	635.940	
			TH= 636.101	
14		0.800	635.922	
15		1.009	636.062	
16	方向杭	3.005	636.108	
			TH= 636.248	
17		3.931	636.122	
18		7.616	635.077	
19		8.948	634.873	石積
20		9.206	634.833	石積 ブロック積
21		10.804	633.810	ブロック積
22		14.958	633.833	
23		19.506	634.008	
24		23.056	634.015	
25	方向杭	24.137	633.925	
			TH= 634.065	
26		24.919	633.363	
27		26.289	633.273	
28		30.410	633.019	
29		31.455	632.673	
30		34.904	632.618	

横断測量成果表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 49] 追加距離 = 980.000

No	地点	距離	地盤高	備考
1		-32.673	640.290	
2		-29.346	640.267	
3		-25.473	640.148	
4		-23.170	639.706	
5		-21.639	639.518	
6		-19.601	638.185	
7	方向杭	-18.805	638.073	
			TH= 638.253	
8		-17.415	637.404	
9		-16.630	637.164	
10		-15.755	636.810	側溝
11		-15.755	636.630	
12		-15.505	636.630	
13		-15.505	636.810	側溝
14		-15.173	636.954	
15		-14.423	636.981	
16		-10.744	636.880	
17		-9.725	636.761	側溝
18		-9.725	636.581	
19		-8.525	636.539	
20		-8.525	636.719	側溝
21		-6.495	636.752	
22		-4.436	636.503	
23		-2.196	636.347	アスファルト
24		-0.216	636.425	
25		-0.216	635.845	
26		-0.216	636.425	
27	中心杭	0.000	636.430	
			TH= 636.436	
28		2.394	636.519	アスファルト
29		2.704	636.501	
30		3.431	635.967	
31		20.752	635.966	
32		20.844	636.078	
33	方向杭	21.504	636.153	
			TH= 636.153	
34		21.838	636.115	
35		22.327	635.764	
36		23.103	633.980	
37		23.383	633.971	
38		23.698	634.184	
39		25.017	634.230	
40		26.197	634.227	
41		32.723	634.089	

横 断 測 量 成 果 表

路線名：（主）天竜公園阿智線（本線）

測点名 [NO. 50] 追加距離 = 1 000.000

No	地 点	距 離	地盤高	備 考
1		-32.522	644.109	
2		-27.265	643.764	
3		-22.173	643.519	
4		-20.322	643.419	
5		-19.345	643.374	
6		-18.653	642.981	
7		-17.161	641.639	
8	方向杭	-14.695	641.334	
			TH= 641.444	
9		-12.689	639.817	
10		-10.113	637.059	
11		-9.766	637.133	側溝
12		-9.766	636.953	
13		-9.516	636.953	
14		-9.516	637.133	
15		-9.466	637.133	
16		-9.466	636.933	側溝
17		-9.416	636.933	家(無壁)
18		-4.904	636.726	家(無壁)
19		-4.289	635.920	
20		-3.663	635.889	アスファルト
21		-0.974	635.947	
22	中心杭	0.000	635.960	
			TH= 635.965	
23		2.228	635.968	アスファルト
24		2.947	636.522	
25		3.327	637.098	
26		8.621	637.178	
27		12.402	637.252	
28	方向杭	13.008	637.172	
			TH= 637.312	
29		13.410	637.030	
30		15.755	636.750	
31		18.867	636.581	
32		20.332	635.889	
33		21.518	634.596	
34		22.138	634.393	
35		24.012	634.387	
36		24.686	634.145	
37	方向杭	32.402	634.082	
			TH= 634.222	
38		33.981	632.328	

横 断 測 量 成 果 表

路線名：(主) 天竜公園阿智線 (本線)

測点名 [NO. 51] 追加距離 = 1 020.000

No	地 点	距 離	地盤高	備 考	No	地 点	距 離	地盤高	備 考
1		-32.506	638.907		41		22.038	633.767	
2		-29.040	638.076		42		24.057	631.641	
3		-25.998	637.474	側溝	43		24.549	631.453	
4		-25.998	637.294		44		27.252	631.280	
5		-25.147	637.294		45		27.926	631.089	
6		-25.147	637.474	側溝	46		29.169	629.823	側溝
7		-24.040	637.394		47		29.169	629.523	
8		-23.274	636.880		48		29.769	629.523	
9		-20.011	636.772		49		29.769	629.823	側溝
10		-18.461	636.757		50		30.621	630.191	家
11	方向杭	-16.514	636.488		51		32.621	630.191	
			TH= 636.618						
12		-13.672	635.996						
13		-9.873	635.870						
14		-6.927	635.702						
15		-5.063	635.600	アスファルト					
16		-1.735	635.703						
17	中心杭	0.000	635.760						
			TH= 635.768						
18		2.497	635.861						
19		3.645	635.730	アスファルト 側溝					
20		3.745	635.730						
21		3.745	635.680						
22		3.795	635.680						
23		3.795	635.330						
24		4.084	635.254						
25		4.084	635.604						
26		4.134	635.604						
27		4.134	635.654						
28		4.234	635.654	側溝 アスファルト					
29	方向杭	7.005	635.498						
			TH= 635.498						
30		8.937	635.367	アスファルト コンクリート					
31		9.095	635.508						
32		9.194	635.358	コンクリート					
33		10.018	635.279						
34		11.855	634.586	家(無壁)					
35		15.947	634.543	家(無壁)					
36		17.591	634.205						
37		18.296	634.008						
38		19.676	633.994						
39	方向杭	21.000	633.959						
			TH= 633.959						
40		21.500	633.917						

横断測量成果表

路線名：(主)天竜公園阿智線(本線)

測点名 [NO. 52] 追加距離 = 1 040.000

No	地点	距離	地盤高	備考	No	地点	距離	地盤高	備考
1		-35.255	633.816		42		14.774	632.007	
2		-13.835	633.808		43		17.291	631.817	
3		-13.046	634.039		44		18.049	631.449	側溝
4		-12.266	634.070		45		18.049	631.299	
5		-11.521	633.364	側溝	46		18.249	631.299	
6		-11.521	633.164		47		18.249	631.449	側溝
7		-11.221	633.164		48		18.467	631.454	ブロック積
8		-11.221	633.364	側溝	49		18.668	631.956	ブロック積
9		-10.861	633.589		50	方向杭	19.524	632.320	
10		-9.235	633.497	ブロック積				TH= 632.460	
11		-7.905	635.852	ブロック積	51		20.093	632.388	アスファルト
12		-7.713	635.852	ガードパイプ H=1.1	52		22.035	632.347	
13		-7.379	635.847	アスファルト	53		24.293	632.248	アスファルト
14	方向杭	-7.188	635.856		54		25.141	631.903	
			TH= 635.856		55		25.379	631.870	ブロック積
15		-4.798	635.783	アスファルト 側溝	56		25.856	630.594	ブロック積
16		-4.748	635.783		57		25.998	630.589	側溝
17		-4.748	635.733		58		25.998	630.389	
18		-4.698	635.733		59		26.298	630.389	
19		-4.698	635.383		60		26.298	630.589	側溝
20		-4.398	635.383		61		27.316	630.577	
21		-4.398	635.733		62		31.285	630.554	
22		-4.348	635.733		63		33.555	630.409	
23		-4.348	635.783						
24		-4.298	635.783	側溝 コンクリート					
25		-4.156	635.784						
26		-4.108	636.038						
27		-3.957	636.040						
28		-3.902	635.784						
29		-3.707	635.795	コンクリート アスファルト					
30		-0.396	635.954						
31	中心杭	0.000	635.970						
			TH= 635.974						
32	方向杭	3.009	636.088						
			TH= 636.088						
33		3.609	636.087						
34		3.798	636.104	ガードレール H=0.8					
35		4.302	636.067						
36		11.029	631.579						
37		11.393	631.407	側溝					
38		11.393	631.107						
39		11.893	631.107						
40		11.893	631.407	側溝					
41		13.003	631.902						

横断測量成果表

路線名：(主) 天竜公園阿智線(本線)

測点名 [KE5-2] 追加距離 = 1 055.222

No	地点	距離	地盤高	備考	No	地点	距離	地盤高	備考
1		-34.770	633.827					TH= 631.850	
2		-25.973	633.846		42		13.390	631.731	
3		-25.136	634.070		43		17.081	631.845	
4		-24.161	634.050	側溝	44		20.675	631.781	家(無壁)
5		-24.161	633.850		45		28.184	631.686	家(無壁)
6		-23.661	633.850		46		28.784	631.686	
7		-23.661	634.050	側溝	47		29.687	631.761	
8		-21.014	635.049		48		33.855	631.742	
9		-19.553	635.540						
10		-15.374	635.540						
11		-10.635	635.627						
12		-9.214	635.913						
13		-7.118	636.334	アスファルト					
14	方向杭	-6.798	636.345						
			TH= 636.345						
15		-4.470	636.322	アスファルト 側溝					
16		-4.420	636.322						
17		-4.420	636.272						
18		-4.370	636.272						
19		-4.370	635.922						
20		-4.070	635.922						
21		-4.070	636.272						
22		-4.020	636.272						
23		-4.020	636.322						
24		-3.970	636.322	側溝 コンクリート					
25		-3.810	636.325						
26		-3.773	636.522						
27		-3.613	636.532						
28		-3.568	636.315						
29		-3.389	636.332	コンクリート アスファルト					
30	中心杭	0.000	636.420						
			TH= 636.427						
31	方向杭	3.506	636.494						
			TH= 636.494						
32		3.966	636.494						
33		4.083	636.615						
34		4.153	636.621	アスファルト					
35		4.432	636.661	ガードレール H=0.8					
36		5.070	636.576						
37		11.909	631.623	側溝					
38		11.909	631.323						
39		12.409	631.323						
40		12.409	631.623	側溝					
41	方向杭	12.659	631.710						

横断測量成果表

路線名：(主) 天竜公園阿智線(本線)

測点名 [NO. 53] 追加距離 = 1 060.000

No	地点	距離	地盤高	備考	No	地点	距離	地盤高	備考
1		-32.979	634.507		42		12.115	631.408	
2		-32.446	634.674		43		12.615	631.408	
3		-31.417	634.702		44		12.615	631.708	側溝
4		-28.875	635.411		45		13.153	631.945	
5		-26.260	635.572		46		14.538	632.053	家(無壁)
6		-21.082	635.585		47		23.485	631.812	家(無壁)
7		-17.282	635.561		48		24.585	631.812	
8		-10.535	635.482		49		25.584	632.331	
9		-9.279	635.423	石積	50		27.139	632.410	
10		-9.201	635.099	石積 側溝	51		29.689	632.143	
11		-9.201	634.949		52		30.474	631.986	
12		-9.001	634.949		53	方向杭	32.160	632.475	
13		-9.001	635.099	側溝				TH= 632.615	
14		-8.615	635.268		54		34.202	633.244	
15		-7.289	636.617						
16		-7.038	636.616	アスファルト					
17	方向杭	-6.728	636.611						
			TH= 636.611						
18		-4.419	636.557	アスファルト 側溝					
19		-4.369	636.557						
20		-4.369	636.507						
21		-4.319	636.507						
22		-4.319	636.157						
23		-4.019	636.157						
24		-4.019	636.507						
25		-3.969	636.507						
26		-3.969	636.557						
27		-3.919	636.557	側溝 コンクリート					
28		-3.769	636.561						
29		-3.714	636.811						
30		-3.574	636.806						
31		-3.527	636.550						
32		-3.337	636.556	コンクリート アスファルト					
33	中心杭	0.000	636.660						
			TH= 636.663						
34	方向杭	3.499	636.692						
			TH= 636.692						
35		4.019	636.690						
36		4.110	636.809						
37		4.200	636.810						
38		4.229	636.715	アスファルト					
39		4.486	636.744	ガードレール H=0.8					
40		5.114	636.748						
41		12.115	631.708	側溝					

横 断 測 量 成 果 表

路線名：(主) 天竜公園阿智線 (本線)

測点名 [KA5-2] 追加距離 = 1 079.422

No	地 点	距 離	地盤高	備 考	No	地 点	距 離	地盤高	備 考
1		-32.459	637.454		42		22.751	635.375	
2		-25.459	637.654	家	43		23.052	635.513	
3		-23.659	637.654	家	44	方向杭	23.858	635.560	
4		-22.024	637.764					TH= 635.680	
5		-19.096	637.635		45		24.916	635.507	
6		-18.471	637.445		46		25.923	635.101	
7		-18.271	637.450		47		26.348	635.116	
8		-17.617	637.719		48		26.742	635.280	
9		-11.665	637.664	アスファルト	49		28.290	635.353	
10		-8.732	637.619		50		29.360	635.201	
11	方向杭	-6.651	637.648		51		35.284	635.244	
			TH= 637.648						
12		-4.365	637.605	アスファルト 側溝					
13		-4.315	637.605						
14		-4.315	637.555						
15		-4.265	637.555						
16		-4.265	637.205						
17		-3.965	637.205						
18		-3.965	637.555						
19		-3.915	637.555						
20		-3.915	637.605						
21		-3.865	637.605	側溝 コンクリート					
22		-3.716	637.612						
23		-3.687	637.635						
24		-3.517	637.634						
25		-3.484	637.601						
26		-3.285	637.613	コンクリート アスファルト					
27	中心杭	0.000	637.690						
			TH= 637.697						
28	方向杭	3.500	637.612						
			TH= 637.612						
29		4.038	637.599						
30		4.141	637.707						
31		4.215	637.718	アスファルト					
32		4.501	637.700	ガードレール H=0.8					
33		5.165	637.645						
34		8.043	635.472						
35		8.252	635.408	側溝					
36		8.252	634.508						
37		9.061	634.504						
38		9.061	635.404						
39		9.211	635.404						
40		9.211	635.204	側溝					
41		11.233	635.146						

横断測量成果表

路線名：(主) 天竜公園阿智線(本線)

測点名 [EP] 追加距離 = 1 091.386

No	地点	距離	地盤高	備考	No	地点	距離	地盤高	備考
1		-30.728	639.409		42		5.638	638.291	
2		-24.728	639.409		43		6.595	638.812	
3		-23.328	638.109		44		6.985	638.819	
4		-20.028	638.109	家	45		7.333	638.672	
5		-9.128	638.109	家	46		13.835	638.663	
6		-8.618	638.092	側溝	47		14.085	638.721	
7		-8.558	638.092		48	方向杭	14.681	638.666	
8		-8.558	638.042					TH= 638.796	
9		-8.508	638.042		49		15.282	638.503	
10		-8.508	637.792		50		16.828	637.475	
11		-8.258	637.792		51		17.945	637.147	
12		-8.258	638.042		52		20.101	637.220	
13		-8.208	638.042		53		24.038	637.380	
14		-8.208	638.092		54		28.398	637.303	
15		-8.148	638.092	側溝 アスファルト	55		29.487	637.245	家(無壁)
16	方向杭	-6.437	638.346		56		34.422	637.254	家(無壁)
			TH= 638.346						
17		-4.369	638.341	アスファルト 側溝					
18		-4.319	638.341						
19		-4.319	638.291						
20		-4.269	638.291						
21		-4.269	637.941						
22		-3.969	637.941						
23		-3.969	638.291						
24		-3.919	638.291						
25		-3.919	638.341						
26		-3.869	638.341	側溝 コンクリート					
27		-3.717	638.340						
28		-3.701	638.366						
29		-3.519	638.367						
30		-3.484	638.341						
31		-3.291	638.344	コンクリート アスファルト					
32	中心杭	0.000	638.470						
			TH= 638.473						
33	方向杭	3.495	638.361						
			TH= 638.361						
34		4.027	638.337						
35		4.151	638.449						
36		4.236	638.441	アスファルト					
37		4.450	638.404						
38		4.873	638.199	側溝					
39		4.873	637.999						
40		5.173	637.999						
41		5.173	638.199	側溝					