

間 接 縦 断 測 量 観 測 手 簿

年月日 2003/05/15 器械名 トリコGTS-6 器械番号 BF0287 観 測 者 田中高司 天 候 曇
 風 力 和風 温 度 17 気 圧 702 mmHg 気象補正值 +23 ppm

路線名 TestRosen

[往 路]

| 器械点 | 測 点 | 追加距離 m | 水平角 ° | 鉛直角 ° | 目標高 m | 斜距離 m | 点間距離 m | 高低差 m | 備 考 |
|-----|---------|-----------|-----------|-----------|----------|----------|-----------|----------|-------|
| 1-1 | BM.1 | | 0 0 0 | 93 31 50 | 0.100 | 52.906 | | | |
| | NO.0 | 0.000 | 16 41 10 | 92 50 20 | 0.100 | 39.259 | 18.952 | 1.314 | 0.0 |
| | NO.1 | 20.000 | 30 49 40 | 94 35 30 | 0.100 | 20.528 | 20.004 | 0.301 | 0.0 |
| | NO.2 | 40.000 | 103 57 50 | 97 3 50 | 0.246 | 10.086 | 20.001 | 0.257 | 0.0 |
| | NO.2+5 | 45.000 | 127 54 20 | 95 57 30 | 0.050 | 12.132 | 5.002 | 0.177 | 0.0 |
| | NO.3 | 60.000 | 158 14 40 | 91 47 40 | 0.100 | 24.133 | 15.001 | 0.454 | 0.02 |
| | BC1 | 68.878 | 164 37 50 | 90 52 0 | 0.100 | 32.436 | 8.876 | 0.265 | 0.02 |
| | + | | 164 53 40 | 90 45 0 | 1.500 | 32.912 | 0.500 | -1.340 | |
| | NO.3+10 | 70.000 | 165 13 10 | 90 11 40 | 0.200 | 33.502 | 0.622 | 1.617 | 0.10 |
| | + | | 167 34 24 | 88 9 50 | 1.450 | 38.091 | 4.799 | 0.084 | AS |
| | NO.3+15 | 75.000 | 167 40 0 | 95 23 50 | 0.100 | 38.433 | 0.201 | -3.485 | 0.0 |
| | + | | 167 42 50 | 91 3 40 | 3.000 | 38.363 | 0.099 | 0.005 | |
| | + | | 167 42 50 | 91 3 40 | 0.820 | 38.363 | | 2.180 | |
| | NO.4 | 80.000 | 169 53 20 | 90 59 10 | 0.200 | 43.016 | 4.902 | 0.590 | 0.0 |
| tp | | | | | | | | | |
| 1-2 | NO.4 | | 0 0 0 | 94 40 30 | 0.100 | 40.984 | | | |
| | NO.5 | 100.000 | 353 45 40 | 97 38 30 | 0.100 | 21.331 | 19.964 | 0.504 | 0.0 |
| | SP1 | 116.286 | 307 43 20 | 110 47 30 | 0.300 | 9.542 | 16.270 | -0.751 | 0.0 |
| | + | | 298 5 40 | 113 51 30 | 1.000 | 9.444 | 1.500 | -1.133 | AS |
| | + | | 291 26 50 | 108 30 40 | 1.000 | 9.071 | 1.000 | 0.940 | |
| | + | | 287 28 10 | 93 2 50 | 1.500 | 8.654 | 0.600 | 1.920 | |
| | NO.6 | 120.000 | 283 27 40 | 99 43 30 | 0.100 | 8.859 | 0.614 | 0.364 | 0.08 |
| | NO.7 | 140.000 | 230 4 10 | 97 22 0 | 0.100 | 24.105 | 19.969 | -1.594 | 0.0 |
| | NO.8 | 160.000 | 225 56 10 | 93 42 0 | 0.150 | 43.825 | 19.964 | 0.213 | 0.0 |
| tp | | | | | | | | | |
| 1-3 | NO.8 | | 0 0 0 | 90 51 40 | 0.100 | 41.833 | | | |
| | EC1 | 163.694 | 1 28 0 | 90 15 20 | 0.100 | 38.281 | 3.693 | 0.458 | 0.28 |
| | + | | 4 27 20 | 87 54 40 | 1.500 | 32.379 | 6.201 | -0.049 | FU1.9 |
| | NO.9 | 180.000 | 12 34 30 | 89 58 30 | 0.333 | 23.022 | 10.104 | -0.003 | 0.0 |
| | + | | 16 40 50 | 88 7 50 | 1.000 | 20.228 | 3.202 | -0.017 | |
| | + | | 17 44 0 | 88 13 10 | 1.000 | 19.629 | 0.701 | -0.050 | MU |
| | + | | 41 39 20 | 88 38 0 | 1.000 | 12.567 | 9.599 | -0.310 | MU |
| | NO.10 | 200.000 | 72 46 0 | 93 14 0 | 0.100 | 10.444 | 6.500 | 0.011 | 0.0 |
| | + | | 83 43 10 | 85 29 10 | 1.500 | 10.548 | 2.001 | 0.019 | |
| | KA2-1 | 213.960 | 127 53 50 | 90 7 50 | 0.100 | 16.995 | 11.961 | 0.531 | 0.22 |
| | + | | 129 29 20 | 86 18 0 | 1.500 | 17.669 | 0.798 | -0.221 | C0 |
| | + | | 134 5 50 | 87 7 10 | 1.500 | 19.899 | 2.700 | -0.140 | FU1.5 |
| | + | | 134 50 20 | 87 26 0 | 1.500 | 20.321 | 0.500 | -0.090 | |
| | + | | 134 50 20 | 87 26 0 | 1.750 | 20.321 | | -0.250 | C0 |

間 接 縱 断 測 量 觀 測 手 簿

路線名 TestRosen

[往 路]

| 器械点 | 測 点 | 追加距離 m | 水平角 ° | 鉛直角 ° | 目標高 m | 斜距離 m | 点間距離 m | 高低差 m | 備 考 |
|-----|-------|-----------|-----------|----------|----------|----------|-----------|----------|-----|
| | NO.11 | 220.000 | 137 34 20 | 91 26 50 | 0.200 | 22.084 | 2.043 | 0.082 | 0.0 |
| | + | | 143 2 10 | 89 6 20 | 1.000 | 26.864 | 5.317 | 0.177 | |
| | + | | 150 41 30 | 88 26 0 | 1.000 | 38.003 | 11.917 | 0.620 | |
| | BM.2 | | 125 32 10 | 88 34 20 | 0.300 | 43.535 | 18.553 | 0.746 | |

間 接 縱 断 測 量 觀 測 手 簿

路線名 TestRosen

[復 路]

| 器械点 | 測 点 | 追加距離 m | 水平角 ° | 鉛直角 ° | 目標高 m | 斜距離 m | 点間距離 m | 高低差 m | 備 考 |
|-----|---------|-----------|-----------|-----------|----------|----------|-----------|----------|-----|
| 2-1 | BM.2 | | 0 0 0 | 89 21 30 | 0.100 | 42.898 | | | |
| | NO.11 | | 12 3 40 | 92 48 10 | 0.100 | 21.630 | 22.231 | -1.538 | |
| | KA2-1 | | 2 3 10 | 91 10 0 | 0.200 | 16.546 | 6.041 | 0.621 | |
| | NO.10 | | 304 54 10 | 95 28 10 | 0.100 | 10.356 | 13.961 | -0.550 | |
| | NO.9 | | 246 26 0 | 91 9 10 | 0.250 | 23.363 | 20.001 | 0.367 | |
| | EC1 | | 235 45 50 | 90 50 30 | 0.100 | 38.680 | 16.305 | 0.052 | |
| | NO.8 | | 234 20 40 | 91 23 30 | 0.100 | 42.245 | 3.695 | -0.458 | |
| tp | | | | | | | | | |
| 2-2 | NO.8 | | 0 0 0 | 93 13 34 | 0.100 | 43.091 | | | |
| | NO.7 | | 8 53 50 | 96 0 0 | 0.250 | 23.809 | 19.968 | -0.214 | |
| | NO.6 | | 66 21 10 | 94 27 30 | 0.200 | 12.213 | 19.968 | 1.589 | |
| | SP1 | | 82 49 10 | 103 32 0 | 0.100 | 13.421 | 3.714 | -2.091 | |
| | NO.5 | | 117 57 30 | 95 19 30 | 0.150 | 25.212 | 16.270 | 0.751 | |
| | NO.4 | | 125 31 30 | 93 27 20 | 0.300 | 44.655 | 19.965 | -0.502 | |
| tp | | | | | | | | | |
| 2-3 | NO.4 | | 0 0 0 | 91 42 50 | 0.100 | 43.185 | | | |
| | NO.3+15 | | 358 26 0 | 96 3 30 | 0.100 | 38.504 | 5.002 | -2.772 | |
| | NO.3+10 | | 356 49 40 | 91 6 10 | 0.123 | 33.396 | 5.001 | 3.398 | |
| | BC1 | | 356 27 40 | 91 29 30 | 0.200 | 32.300 | 1.121 | -0.275 | |
| | NO.3 | | 352 27 40 | 92 50 50 | 0.130 | 23.651 | 8.879 | -0.264 | |
| | NO.2+5 | | 329 48 30 | 98 24 50 | 0.300 | 9.979 | 15.002 | -0.455 | |
| | NO.2 | | 302 35 10 | 105 27 50 | 0.100 | 6.881 | 5.000 | -0.175 | |
| | NO.1 | | 206 23 30 | 96 34 30 | 0.100 | 18.290 | 20.003 | -0.260 | |
| | NO.0 | | 196 18 10 | 93 29 20 | 0.200 | 37.705 | 20.001 | -0.300 | |
| | BM.1 | | 180 43 20 | 94 3 40 | 0.100 | 52.416 | 18.953 | -1.317 | |